

APPLIED MICROBIOLOGY

Published under the sponsorship of The Society of American Bacteriologists

Volume 1, 1953

EDITOR

H. B. WOODRUFF

EDITORIAL ASSISTANT

MARY ANN REAGAN



EDITORIAL BOARD

ROBERT G. BENEDICT

ASGER F. LANGLYKKE

T. C. CORDON

J. C. LEWIS

J. W. FOSTER

A. G. LOCHHEAD

JOHN C. GAREY

CARL S. PEDERSON

CARL E. GEORGI

N. E. RODGERS

H. HEUKELEKIAN

R. L. STARKEY

GLADYS L. HOBBY

REESE H. VAUGHN

M. J. JOHNSON

FREEMAN A. WEISS

PAUL KOLACHOV

PAUL A. WOLF

BALTIMORE

THE WILLIAMS & WILKINS COMPANY

Contents

NUMBER 1, JANUARY 1953

Effect of Alcohols on the Mycological Production of Citric Acid in Surface and Submerged Culture. I. Nature of the Alcohol Effect. ANDREW J. MOYER.....	
Effect of Alcohols on the Mycological Production of Citric Acid in Surface and Submerged Culture. II. Fermentation of Crude Carbohydrates. ANDREW J. MOYER.....	
Infectious Hazards of the High Speed Blender and Their Elimination by a New Design. MORTON REITMAN, MILTON A. FRANK, SR., ROBERT ALG, AND ARNOLD G. WEDUM.....	
A Multiple Loop for Large Inocula. MICHAEL SIEGEL.....	18
Prolongation of the Antibacterial Potential of Disinfected Surfaces. EMIL G. KLARMANN, ELEANORE S. WRIGHT AND VLADIMIR A. SHTERNOV.....	19
Antibiotics and Lactic Acid Starter Cultures. E. I. STOLTZ AND D. J. HANKINSON.....	24
The Microbiological Degradation of Plasticizers. I. Growth on Esters and Alcohols. WILLIAM H. STAHL AND HELMUT PESSEN.....	30
The Preservation of Bacterial Cultures under Paraffin Oil. S. E. HARTSELL.....	36
Microbiological Assay of Vitamin B ₁₂ with a Mutant Strain of <i>Escherichia coli</i> . J. S. CHIAO AND W. H. PETERSON.....	42
Some Studies on Microbacteria from Iowa Dairy Products. S. A. NASHIF AND F. E. NELSON..	47
The Effect of the Carbohydrate Nutrition on Penicillin Production by <i>Penicillium chrysogenum</i> Q-176. FRED V. SOLTERO AND MARVIN J. JOHNSON.....	52
A Microbiological Study of Lymph Nodes, Bone Marrow and Muscle Tissue Obtained from Slaughtered Cattle. B. C. LEPOVETSKY, H. H. WEISER AND F. E. DEATHERAGE.....	

NUMBER 2, MARCH 1953

The Role of Bacteria in the Formation of Acid from Certain Sulfuritic Constituents Associated with Bituminous Coal. I. <i>Thiobacillus thiooxidans</i> . WILLIAM W. LEATHEN, S. A. BRALEY, SR., AND LOIS D. MCINTYRE.....	61
The Role of Bacteria in the Formation of Acid from Certain Sulfuritic Constituents Associated with Bituminous Coal. II. Ferrous Iron Oxidizing Bacteria. WILLIAM W. LEATHEN, S. A. BRALEY, SR., AND LOIS D. MCINTYRE.....	65
A Continuous Feeding Assembly for Laboratory Fermentations. R. F. DALE, JOE AMSZ, JR., PING SHU, H. J. PEPLER, AND F. J. RUDERT.....	68
Sulfur Metabolism in Soil. H. GLEEN AND J. H. QUASTEL.....	70
The Biological Degradation of Lignin. IV. The Inability of <i>Polyporus versicolor</i> to Metabolize Sodium Lignosulfonate. WILLIAM C. DAY, SIDNEY GOTTLIEB AND MICHAEL J. PELCZAR, JR.....	78
<i>Lactobacillus plantarum</i> , the Cause of "Yeast Spots" on Olives. REESE H. VAUGHN, WILLIAM D. WON, FRANCIS B. SPENCER, DEMOSTHENES PAPPAGIANIS, I. OMAR FODA, AND PAUL H. KRUMPERMAN.....	82
Acetone-Butanol Fermentation of Starches. SAMUEL C. BEESCH.....	85
The Soil Perfusion Technique for the Biological Degradation of Sulfite Waste Liquor. S. J. R. GAMBLE AND R. G. BUTLER.....	96
The B-Complex Vitamins of Musts and Wines As Microbial Growth Factors. J. G. B. CASTOR.....	97
The Production of Neomycin by <i>Streptomyces fradiae</i> in Synthetic Media. HOWARD T. DULMAGE.....	103
A Manometric Method for the Evaluation of the Microbial Activity of the Rumen with an Application to the Utilization of Cellulose and Hemicelluloses. R. H. MCBEE.....	106
The Replica Plate Method for Screening Antibiotic-Producing Organisms. H. A. LECHERVALIER AND C. T. CORKE.....	110
Fermentation of Polyhydric Alcohol by the General <i>Escherichia</i> and <i>Aerobacter</i> . II. <i>i</i> -Inositol. J. THOMAS FIELD, RUSSELL C. MORRIS, AND CHARLES F. POE.....	112

NUMBER 3, MAY 1953

Sterility Testing: The Control of Efficiency of Sterilization Techniques. H. D. VERA.....	117
Bacterial Indicators of Pollution in Surface Waters. HAROLD V. LEININGER AND C. S. McCLESKEY.....	119
Studies on Vitamin B ₁₂ Production with <i>Streptomyces olivaceus</i> . HARLOW H. HALL, ROBERT G. BENEDICT, CARL F. WIESEN, CAROLYN E. SMITH, AND RICHARD W. JACKSON.....	124
The Efficiency of Selenite Broth of Different Compositions in the Isolation of <i>Salmonella</i> . W. R. NORTH AND M. T. BARTRAM.....	130
Potencies of Phenolized Rabies Vaccine Improved by Addition of Merthiolate During Inactivation. EVERETT A. NELSON AND HARLAND D. ANDERSON.....	135

CONTENTS OF VOLUME I

Growth Characteristics of the Lactic <i>Streptococcus</i> Bacteriophage. D. M. GRAHAM AND N. N. POTER.....	138
Quaternary Ammonium Derivatives of ω -Amino Acids: A New Series of Quaternary Ammonium Compounds. R. L. STEDMAN, S. L. ENGEL, AND I. M. BILSE.....	142
The Antimicrobial Action of Certain Glycerol Ethers and Related Compounds. F. M. BERGER, C. V. HUBBARD, AND B. J. LUDWIG.....	146
A Microbiological Assay of Penicillin in Animal Feeds. R. C. KERSEY AND F. V. LEGHORN.....	150
A Method for Determining the Weight of an Individual Yeast Cell. SAMIR A. HADDAD AND CARL C. LINDEGREN.....	153
Influence of Temperature on the Trace Element Requirements for Citric Acid Production by <i>Aspergillus niger</i> . PAUL A. KITOS, JACK J. R. CAMPBELL, AND NEIL TOMLINSON.....	156
Increasing Color Density with Decreasing Toxicity of Tetanus Toxin in the Mueller Medium. JOSEPH L. STONE.....	160

NUMBER 4, JULY 1953

Activity and Properties of <i>para</i> -Aminobenzyl Penicillin. GLENN A. BREWER, JR., AND MARVIN J. JOHNSON.....	163
A Modified Mueller Medium Without Native Protein for Tetanus Toxin Production. JOSEPH L. STONE.....	166
Rapid and Simple Methods for the Harvesting of Mass Cultures of Microorganisms. ARTHUR L. COHEN.....	168
Biological Degradation of Lignin. V. Polysaccharide Synthesis from <i>alpha</i> -Conidendrin. YOLANDA T. PRATT, WALTER A. KONETZKA, MICHAEL J. PELCZAR, JR., AND WALTER H. MARTIN.....	171
Yeasts Associated with Dried-Fruit Beetles in Figs. M. W. MILLER AND E. M. MRAK.....	174
An Electrophoretic Method for the Assay of Bacterial Variants. ROBERTA S. HARTMAN, H. T. EIGELSBACH, J. B. BATEMAN, WERNER BRAUN, RUTH HERRING, AND R. D. RODGERS.....	178
The Action of 2,4-D upon the <i>Azotobacter</i> of Some Sugarcane Soils. ARTHUR L. COLMER.....	184
Studies on Disinfection of Clinical Thermometers. I. Oral Thermometers. MARTIN FROBISHER, JR., LUCILLE SOMMERMEYER, AND MAURICE J. BLACKWELL.....	187
Inhibiting Effects of Amino Acids and Related Compounds upon the Growth of Enterotoxigenic Micrococci in Cream Pastry. A. G. CASTELLANI.....	195
Growth of Bacteria in Soluble Oil Emulsions. F. W. FABIAN AND HILLIARD PIVNICK.....	199
Methods for Testing the Germicidal Value of Chemical Compounds for Disinfecting Soluble Oil Emulsions. HILLIARD PIVNICK AND F. W. FABIAN.....	204
Penicillin Production in Corn Steep Media with Continuous Carbohydrate Addition. V. F. DAVEY AND MARVIN J. JOHNSON.....	208
Bacteriostatic and Bactericidal Actions of Laurylamine Saccharinate Against Bacteria of the Naso-Pharyngeal Tract and Other Bacteria. P. H. H. GRAY AND L. J. TAYLOR.....	211

NUMBER 5, SEPTEMBER 1953

The Bactericidal Action of Subtilin on <i>Bacillus stearothermophilus</i> . H. DAVID MICHENER.....	215
The Influence of Environmental Factors on the Molecular Size of Dextran. HYMAN NADEL, CHESTER I. RANGLES AND GRANT L. STAHLY.....	217
Enhancement of Antibiotic Production by the Use of Sea Water Media. GREGORY J. JANN, H. A. WALCH, JR., AND A. J. SALLE.....	224
The Amylases of Five Streptomycetes. F. J. SIMPSON AND ELIZABETH McCOY.....	228
Bacterial Alpha Amylase Paper Disc Tests on Starch Agar. EGON STARK, RALPH WELLERSON, JR., PHILIP A. TETRAULT, AND CARL F. KOSSACK.....	236
The Pectolytic Activity of Molds Isolated from Black Raspberries. L. S. WHITE AND F. W. FABIAN.....	243
A Comparison of the Most Probable Numbers of Coliform Bacteria and Enterococci in Raw Sewage. WARREN LITSKY, M. J. ROSENBAUM, AND R. L. FRANCE.....	247
Storage of the Bacteriophage of the Lactic Acid Streptococci in the Desiccated State with Observations on Longevity. C. C. PROUTY.....	250
An Efficient Electro-Ultrafilter. RICHARD B. JOHNSON.....	252
Autotrophic Bacteria and the Formation of Acid in Bituminous Coal Mines. KENNETH L. TEMPLE AND EARSIE W. DELCHAMPS.....	255
Isolation of Floc-Producing Bacteria from Activated Sludge. ROSS E. MCKINNEY AND RUSSELL G. WEICHLIN.....	259
Aerobic Treatment of Dairy Wastes. NANDOR PORGES, LENORE JASEWICZ AND SAM R. HOOVER.....	262

NUMBER 6, NOVEMBER 1953

Testing Quaternary Ammonium Germicides. G. R. GOETCHIUS AND H. GRINSFELDER.....	271
The Control of Bacteria in Chicken Salad. II. Salmonella. A. R. WINTER, H. H. WEISER, AND MARTHA LEWIS.....	278

Effect of Alcohols on the Mycological Production of Citric Acid in Surface and Submerged Culture

I. Nature of the Alcohol Effect

ANDREW J. MOYER

Northern Regional Research Laboratory,¹ Peoria, Illinois

Received for publication July 7, 1952

There has been a steady increase in the consumption of citric acid during the past 25 years. An estimate by Cochrane (1948) places annual manufacture at approximately 35 million pounds. Commercial production of citric acid is reputedly based on fermentation by *Aspergillus niger* of a suitable grade of beet syrup in shallow pans. A submerged process appears to be highly desirable, and many articles and patents (Perquin, 1938; Karow, 1942; Szücs, 1944; Waksman and Karow, 1946; Karow and Waksman, 1947; Shu and Johnson, 1948a, b; Perlman, 1949; Schweiger and Snell, 1949; and Snell and Schweiger, 1949) have appeared in this field. Proposed procedures all require a source of highly purified carbohydrate and in most cases also the use of oxygen for aeration. Large-scale production of citric acid in submerged culture has not been reported. Several improvements in the submerged culture process are needed. These include the use of less inoculum, greater fermentation speed, and the use of crude, cheap carbohydrate sources.

Investigations on these problems have been in progress for several years in the Fermentation Division of this laboratory. It was discovered in the course of the work that the use of low molecular weight alcohols—methanol, ethanol or isopropanol—as adjuncts to the culture medium greatly increased citric acid production in both surface and submerged culture.² Such use has made it possible to ferment directly crude carbohydrate substrates which other investigators have found necessary to purify, especially for use in submerged culture. This paper deals with the nature of the alcohol stimulation as related to the presence of trace elements as well as to initial acidity of the medium and to the quantity of inoculum used.

GENERAL METHODS

The strains of the *Aspergillus niger* group of molds used were obtained from the Northern Regional Research Laboratory's Collection.

¹ One of the laboratories of the Bureau of Agricultural and Industrial Chemistry, Agricultural Research Administration, U. S. Department of Agriculture.

² The April 10 issue of Chemical Abstracts, 1951, carries an abstract of a paper by Sakaguchi and Baba showing that ethanol and methanol slightly increased citric acid yields.

Surface cultures consisted of 50 ml portions of medium inoculated with dry ungerminated spores in 200 ml Pyrex Erlenmeyer flasks.

Submerged cultures consisted of 100 ml of medium including alcohol adjuncts and inoculum in 300 ml flasks. The given alcohol was added to the cool sterile medium just prior to inoculation. Inoculations were made with a suspension of germinated spores. Flask cultures were shaken either on a Ross-Kirshaw machine at 150 rpm or on a Gump shaker at 200 rpm. All cultures were incubated at 30 C unless otherwise indicated.

Nutrient salts were of C. P. grade. The corn steep liquor was a commercial grade containing about 50 per cent solids. The glucose was the ordinary commercial variety known as Cerelose³ or Clintose³ containing about 10 per cent water and considered to be glucose monohydrate. The sucrose was a commercial grade of high purity. Absolute ethanol and a synthetic grade of methanol were used.

Measurements of pH were made with a glass electrode. The cultures were harvested by pouring the mycelium and fermented liquor onto a muslin cloth strainer. The mycelium was squeezed by hand and then placed back into the flask with 50 or 100 ml of distilled water for surface or submerged cultures, respectively. This mixture of water and mycelium was heated to boiling and again squeezed through the cloth strainer. The two lots of liquid were combined and made up to the desired volume. Aliquots were taken for volumetric titration with 0.1 N alkali. Phenolphthalein was used as indicator. The mycelium was dried to constant weight at 90 C. Citric acid was determined by the methods employed by Wells *et al.* (1936), and oxalic acid was determined as calcium oxalate precipitated with CaCl₂. Glucose was determined by the Shaffer-Hartmann (1921) method and sugars reported on an anhydrous basis. Sporulation was estimated under a scoring system where a value of 5 represents a uniform heavy crop of spores.

³ The mention of products does not imply endorsement or recommendation by the Department of Agriculture over other products of a similar nature not mentioned.